


1/13/2020 Page 1 of 7

HARDWARE





1/13/2020 Page 2 of 7

PRODUCT SPECIFICATIONS

B10RCP PORTABLE BENCH WITHOUT BACK

Seat & Back: 2" x 2" x 1/8" formed angle frame with 1-1/2" radius corners. 3/4" #9 steel expanded metal. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Cross braces are 1" O.D. x 16 gauge pre-galvanized structural steel tubing. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.

Dimensions: 10' portable bench without back. Seat is 10" wide x 120-1/4" long x 18-1/2" high. Overall dimensions are 22-1/4" x 18-1/2" x 120-1/4".



1/13/2020 Page 3 of 7

COMPONENTS




| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--------------|---|-----|
| 1 | RC60-S | 5' x 10" wide regal expanded seat (1/2) | 2 |
| 2 | P-V942P | 942P Vinyl Leg | 3 |
| 3 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 10 |
| 4 | 33-02-0007 | 5/16" SS Washer | 20 |
| 5 | 33-02-0008 | 3/8" Flat Washer (SS) | 3 |
| 6 | 33-03-0012 | 5/16" Kep Nut (SS) | 10 |
| 7 | 33-03-0013 | 3/8" Kep Nut (SS) | 3 |
| 8 | P-01-04-0129 | 26 3/4" Brace | 4 |
| 9 | 33-06-0058 | 3/8" x 3" Carriage Bolt (SS) | 3 |



1/13/2020 Page 4 of 7

STEP 1




Attach the seat planks to the legs as shown using specified hardware.



1/13/2020 Page 5 of 7


STEP 2



Attach the braces to the legs as shown using specified hardware.



1/13/2020 Page 6 of 7



1/13/2020 Page 7 of 7