
# Superior Amenities -




Model # B4PLAYERRCP



1/23/2020 Page 1 of 8


## **HARDWARE**








1/23/2020 Page 2 of 8

## **TOOLS REQUIRED**











1/23/2020 Page 3 of 8

### PRODUCT SPECIFICATIONS

#### B4PLAYERRCP PORTABLE BENCH WITHOUT BACK

Seats: Angle frame made with 2" x 2" x 1/8" structural steel angle. 3/4" #9 steel expanded metal. 10 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Cross braces are 1" O.D. x 16 gauge pre-galvanized structural steel tubing. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.


Hardware: All stainless steel hardware fasteners.

Dimensions: 4' bench portable without back. Seats are 15" wide x 48" long. Seat height is 18-7/16". Total depth of seat is 22-1/4".



1/23/2020 Page 4 of 8

## COMPONENTS




ITEM NO.	PartNo	DESCRIPTION	Qty.
1	DRC48-S	4' long x 15" wide deluxe regal expanded seat	1
2	P-V942P	942P Vinyl Leg	2
3	P-04-04-0018	29 1/2" brace	1
4	33-05-0029	5/16" x 1" Machine Bolt (SS)	4
5	33-02-0007	5/16" SS Washer	8
6	33-03-0012	5/16" Kep Nut (SS)	4
7	33-06-0058	3/8" x 3" Carriage Bolt (SS)	2
8	33-02-0008	3/8" Flat Washer (SS)	2
9	33-03-0013	3/8" Kep Nut (SS)	2



1/23/2020 Page 5 of 8

## STEP 1




Attach the 4' Expanded Seat to the legs using specified hardware.



1/23/2020 Page 6 of 8


## STEP 2



Attach the 29-1/2" Brace to the legs as shown using specified hardware.



1/23/2020 Page 7 of 8



1/23/2020 Page 8 of 8