



BY SUPERIOR RECREATIONAL PRODUCTS



## HARDWARE



5/16" x 1" Machine Bolt



5/16" Washer



5/16" Kep Nut



3/11/2019

### **PRODUCT SPECIFICATIONS**

#### B6WBMODERNS INGROUND CONTOURED BENCH WITH BACK

Seats: Seats dimensions are 24-3/4" x 15-1/8". 3/4" #9 steel expanded metal. End plates are made of 7 gauge flat steel plate. Reinforced with 3/16 x 1-1/2" flat strip. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: Legs are 2-3/8" O.D. x 10 gauge pre-galvanized structural steel tubing. Seat support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Spreader bars are 2-3/8" O.D. x 10 gauge pre-galvanized structural steel tubing. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.


Dimensions: 6' inground bench with back. Seats are 27" wide x 72" long. Seat height is 18" from the ground to the top of the seat. The overall dimensions are 80-1/2" x 30-1/4" x 33-1/2".



# COMPONENTS

TEM NO. PartNo DESCRIPTION QTY.	
1 P-V965S-L 965S LH LEG 1	
2P-V965S-R965S RH LEG13T-V72CT-S6' Expanded Contour Bench1	
4 33-02-0007 5/16" SS Washer 8	SUPERIOR
4 33-02-0007 5/16" SS Washer 8   5 33-05-0029 5/16" x 1" Machine Bolt (SS) 4	SUPERIOR <sup>®</sup> RECREATIONAL PRODUCTS

# FOOTINGS



Page 5 of 6

# **OVERALL DIMENSIONS**

