
# Superior Amenities -



Model # B8PLAYERRCSM



1/24/2020 Page 1 of 6

## **HARDWARE**



5/16" x 1" Machine Bolt



5/16" Washer





5/16" Kep Nut





1/24/2020 Page 2 of 6

## TOOLS REQUIRED











1/24/2020 Page 3 of 6

### PRODUCT SPECIFICATIONS

#### B8PLAYERRCSM SURFACE MOUNT BENCH WITHOUT BACK

Seats: Angle frame made with 2" x 2" x 1/8" structural steel angle. 3/4" #9 steel expanded metal. 10 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.


Dimensions: 8' bench surface mount without back. Seats are 15" wide x 96" long. Seat height is 19" from the ground. Overall height is 32-1/4".



1/24/2020 Page 4 of 6

## COMPONENTS


Attach the 8' Expanded Seat to the legs using specified hardware.



ITEM NO.	PartNo	DESCRIPTION	Qty.
1	DRC96-S	8' long x 15" wide deluxe regal expanded seat	1
2	P-V942SM	942SM VINYL LEG	2
3	33-05-0029	5/16" x 1" Machine Bolt (SS)	4
4	33-02-0007	5/16" SS Washer	8
5	33-03-0012	5/16" Kep Nut (SS)	4



1/24/2020 Page 5 of 6



1/24/2020 Page 6 of 6