



12XL









866-696-9967




## Installation

12XL







Water Pressure: Please note the valve is appropriate for water pressure up to 55 psi.

Updated: February 2023

Copyright © 2023





It is our goal to provide our customers with the finest in livestock watering equipment products.

There is a 10 (ten) year warranty on any purchase of our livestock watering equipment, which includes the models listed below. This warranty covers defects in the material or workmanship. The warranty however, is limited only to the value of the defected part and does not include any freight charges, loss of production and/or changes in operation. It does not cover damage due to careless machine handling and neglect. Proof of purchase is required.

Electric Models\*\*: EE10NG, VS15E, VS20E, VS20LPE

**Energy Free Models:** 351NG, 352NG, 354NG **Tip Tanks:** TIPTANK4,NG, TIPTANK7,NG

XL Series: 7XL, 10XL, 12XL

Stock Tanks: 42GALLON, 120GALLON, 180GALLON

Value Series: VS15, VS20, VS20LP

## 1 (One) Year Warranty for:

Float and Valve

Door Hinges

• Submersible Heater and Heat Tape

\*\*Note: To ensure the life of your electric livestock waterer be sure that the waterer is drained and shut off when not in use.

Copyright © 2023 Updated: February 2023

1050 Columbia Drive Carrollton, GA 30117

866-696-9967

paul.thompson@siibrands.com tuskerlivestock.com



Water Pressure: The valve is appropriate for water

pressure up to 55 psi.